



STRUCTURED
CABLING PARTNER

Category 6A UTP Patch Panels (Loaded)

OPTIPLUS Category 6A Patch Panels are developed for high-speed data, voice and image transmission. These patch panels offer termination using the latest in tool free keystone jack technology. The use of an insertion tool is not required while terminating these panels. All 8 wires can be loaded and termination simultaneously, drastically reducing installation time.

Standards

- ANSI/TIA-568-C.2
- ANSI/TIA-1096-A:2002
- ISO/IEC 11801 Ed.2.2
- IEEE 802.3an
- IEEE 802.3af (PoE)
- IEEE 802.3at (PoE+)
- IEC 60603-7
- IEC 60603-7-41



Key Features:

- 6 Port component modules.
- Terminate from 26-22 AWG solid CAT6 A cable
- Designated space for custom labeling.
- Integrated rear cable manager ensures proper cable management.
- Port numbering enables quick identification of outlets.
- Housing: ABS 94V-0/1/2.
- IDC Contact: 0.35 mm (0.014") phosphor bronze with gold plating on contact area.
- Panel size : 19" with 1u.

Ordering Information:

PART NUMBER	DESCRIPTION	PORTS
OP-C6A120024	Category 6A UTP loaded patch panel - 1u	24
OP-C6A120048	Category 6A UTP loaded patch panel - 2u	48



Optiplus Networks LLC

7950 NW 53RD Street, Suite 337,
Miami, FL.US 33166

Email: info@optiplusnetworks.com

Tel: +1 7868 716663

www.optiplusnetworks.com